

HAZARDOUS WASTE SATELLITE ACCUMULATION AREA

This Satellite Accumulation Area (SAA) is strictly assigned to store hazardous chemical wastes. This area must be kept clean and organized at all times. Biohazardous and radioactive wastes must be stored in a separate area according to University policies and procedures. To ensure compliant and efficient disposal, please abide by the following regulations:

1. Waste containers must be sealed at all times, except when material is being added. Do not leave funnels in the drum/container.
2. The exterior of the container must be clean and free of chemical contamination. Do not overfill the container – leave at least 2 inches headspace for liquid expansion.
3. Liquid waste must be separated from solid waste and segregated by chemical hazard (Corrosives, Halogenated/Non-halogenated, Oxidizers, Flammables, Reactive, Toxic)
4. All hazardous waste containers must be labeled with the chemical constituents, hazards (words or pictograms), and the words “Hazardous Waste” using the yellow hazardous waste sticker. Contact x72622 for stickers.
5. **No hazardous chemicals may be poured in the sink at any time.** Solvent wastes are not allowed to be disposed of by evaporation.
6. Do not accumulate excessive hazardous waste. 55 gallons is the maximum allowable volume. Avoid storing more than 30 gallons.
7. A designated person shall be responsible for the waste stored in this SAA.
8. For waste disposal, complete a Hazardous Waste Pick-Up Request at <https://ehs.fiu.edu/safety-programs/environmental-compliance>. Contact EHS for assistance.
9. **The SAA shall not be located near any sinks or drains.** Secondary containment must be provided with capability to hold 110% of the volume of the largest container.

Principal Investigator:	Lab Contact (Primary):	Lab Contact (Secondary):
Phone #:	Phone #:	Phone #:
EHS Enviro. Compliance Officer (305) 348-2622	EHS Assistant Director (305) 348-6849	EHS Director (305) 348-7882

Campus: Building/Room #:

